

6000 Metric Series


Inner Dimension = Boundary dimensions (mm)

Outer Dimension = Boundary dimensions (mm)

Width = Boundary dimensions (mm)

Dynamic(Cr) = Basic load ratings (Lbf)

Static(Cor) = Basic load ratings (Lbf)



Size	Inner Dimension	Outer Dimension	Width	Dynamic(Cr)	Static(Cor)	Weight(lb)
6000	10	26	8	1030	445	0.042
6001	12	28	8	1147	535	0.048
6002	15	32	9	1254	641	0.068
6003	17	35	10	1349	731	0.088
6004	20	42	12	2109	1129	0.150
6005	25	47	12	2248	1315	0.172
6006	30	55	13	2967	1866	0.242
6007	35	62	14	3642	2360	.0326
6008	40	68	15	3867	2653	0.407
6009	45	75	16	4721	3327	0.506
6010	50	80	16	4946	3642	.0568
6011	55	90	18	6789	4901	.0796
6012	60	95	18	7081	5440	.0847
6013	65	100	18	6857	5665	0.957
6014	70	110	20	8565	6947	1.324
6015	75	115	20	8902	7531	1.404
6016	80	125	22	10701	8947	1.870
6017	85	130	22	11128	9689	1.958

Size	Inner Dimension	Outer Dimension	Width	Dynamic(Cr)	Static(Cor)	Weight(lb)
6018	90	140	24	13084	11173	2.552
6019	95	145	24	13578	12117	2.662
6020	100	150	24	13533	12185	2.750
6021	105	160	26	16254	14792	3.498
6022	110	170	28	18434	16411	4.312
6024	120	180	28	18659	17535	4.796
6026	130	200	33	23380	22481	7.326
6028	140	210	33	24279	24279	7.832
6030	150	225	35	27427	28101	9.636